Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	first adj (person individual patient user client) same (card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and	US-PGPUB; USPAT	OR	ON	2006/02/08 09:55
		second adj (person individual patient user client) same second adj (card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and (@ad<"20001219" @rlad<"20001219")		*		
L2	7	first adj (person individual patient user client) same (card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and second adj (person individual patient user client) same second adj (card smartcard idcard profile record) and (passcode passkey password) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 09:58
L3	181	first with (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and second with (portable adj memory card smartcard idcard profile record) same (passcode passkey password) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 09:59
L4	13	first with (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and second with (portable adj memory card smartcard idcard profile record) same (passcode passkey password) and (orb corba object adj oriented) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:00

			T			
L5	9	first with (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and second with (portable adj memory card smartcard idcard profile record) same (passcode passkey password) and (orb corba object adj oriented) and level and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:03
L6	94	first with (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and second with (portable adj memory card smartcard idcard profile record) same (passcode passkey password) and level with (author\$4 authenticat\$3 security access) and (@ad<"20001219")	US-PGPUB; -USPAT	OR	ON	2006/02/08 10:05
L7	94	first adj3 (person individual patient user client) same (card smartcard idcard profile record) and second adj3 (person individual patient user client) same (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:06
L8	40	first adj3 (person individual patient user client) same (card smartcard idcard profile record) and second adj3 (person individual patient user client) same (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and fingerprint and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:07

L9	34	first adj3 (person individual patient user client) same (card smartcard idcard profile record) and second adj3 (person individual patient user client) same (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and fingerprint and bio\$7 and(@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:08
L10	21	first adj3 (person individual patient user client) same (card smartcard idcard profile record) and second adj3 (person individual patient user client) same (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and fingerprint and bio\$7 and medical and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:10
L11	20	first adj3 (person individual patient user client) same (card smartcard idcard profile record) and second adj3 (person individual patient user client) same (portable adj memory card smartcard idcard profile record) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and fingerprint and bio\$7 and medical and server and(@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:20
L12	2	first adj3 (person individual patient user client) same ((removable portable) adj memory card smartcard idcard scandisk) and second adj3 (person individual patient user client) same ((removable portable)adj memory card smartcard idcard scandisk) and (passcode passkey password) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and fingerprint and bio\$7 and medical and server and(@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 10:35

L13	5	(fingerprint bio\$7 medical).ab. and first adj3 (person individual patient user client) same ((removable portable) adj memory card smartcard idcard scandisk) and second adj3 (person individual patient user client) same ((removable portable)adj memory card smartcard idcard scandisk) and (passcode passkey password 7\$key\$3) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:01
L14	5	(fingerprint bio\$7 medical).ab. and first adj3 (person individual patient user client) same ((removable portable) adj memory card smartcard idcard scandisk) same second adj3 (person individual patient user client) same ((removable portable)adj memory card smartcard idcard scandisk) and (passcode passkey password 7\$key\$3) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access).and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:02
L15	16	first adj3 (person individual patient user client) same ((removable portable) adj memory card smartcard idcard scandisk) same second adj3 (person individual patient user client) same ((removable portable)adj memory card smartcard idcard scandisk) and (passcode passkey password 7\$key\$3) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and (fingerprint bio\$7 medical) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:02

	Γ	6 . 10 .				
L17	3	first adj3 (person individual patient user client) same second adj3 (person individual patient user client) same ((removable portable)adj memory card smartcard idcard scandisk) same (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) and ((removable portable) adj memory card smartcard idcard scandisk) same (passcode passkey password 7\$key\$3) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and (fingerprint bio\$7 medical) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:05
L18	5 mga - cathai ayata	first adj3 (person individual patient user client) same second adj3 (person individual patient user client) same ((removable portable)adj memory card smartcard idcard scandisk) same (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) and (passcode passkey password 7\$key\$3) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and (fingerprint bio\$7 medical) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:10
L19	60	first adj3 (person individual patient user client) and second adj3 (person individual patient user client) and ((removable portable)adj memory card smartcard idcard IC scandisk) same (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3) same (authenticat\$3 authoriz\$5) and level with (author\$4 authenticat\$3 security access) and (fingerprint bio\$7 medical) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:11

		,				
L20	2	first adj3 (person individual patient user client) and second adj3 (person individual patient user client) and ((removable portable)adj memory card smartcard idcard IC scandisk) same (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3) same (authenticat\$3 authoriz\$5) same first same second and level with (author\$4 authenticat\$3 security access) and (fingerprint bio\$7 medical) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:19
L21	23	first adj3 (person individual patient user client) and second adj3 (person individual patient user client) and ((removable portable)adj memory card smartcard idcard IC scandisk) and (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3) same first same second and level with (author\$4 authenticat\$3 security access) and (fingerprint bio\$7 medical) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:37
L23	153	first adj3 (person individual patient user client) and second adj3 (person individual patient user client) and ((removable portable)adj memory card smartcard idcard IC) same (fingerprint bio\$7 medical author\$4 authenticat\$3) and (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second and level with (author\$4 authenticat\$3 security access) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:42

		<u>,</u>				
L24	5	first adj3 (person individual patient user client) and second adj3 (person individual patient user client) and ((removable portable)adj memory card smartcard idcard IC) same (fingerprint bio\$7 medical author\$4 authenticat\$3) and (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3) and level with (author\$4 authenticat\$3 security access) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:49
L25	3	first adj3 (person individual patient	US-PGPUB;	OR	ON	2006/02/08 11:51
		user client) same second adj3	USPAT			
		(person individual patient user	2	× *	* /	
		client) same (enabl\$3 establish\$3)		,	140	
		with(communicat\$3 link		O X Say		
		connect\$3)and ((removable		1 1	*	
	.*	portable)adj memory card smartcard idcard IC) same				
		(fingerprint bio\$7 medical author\$4				
5-0		authenticat\$3) and (compar\$5				
73.5		correspond\$3 match\$3 map\$4		,		
3 4	and the state of the second	scan\$4) same (passcode passkey	State material at Leading spec	The second second		
		password 7\$key\$3 unique author\$4	*	- ×	1 9 3 T.1	
+ 6		authenticat\$3) same first same				
	. ~ .	second same (enabl\$3 establish\$3)	= filtigad Negar	· · · · · · · · · · · · · · · · · · ·		
		with(communicat\$3 link connect\$3)	endi	, -8		
		and level with (author\$4			. Tally	
	*	authenticat\$3 security access) and				
		(@ad<"20001219" @rlad<"20001219")			()	
		I WOODUN ZUUUTZIJI			4	programme and the second secon

	т-					
L26	3	first adj3 (person individual patient user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)and ((removable portable)adj memory card smartcard idcard IC) same (fingerprint bio\$7 medical author\$7 authenticat\$3) and (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3) and level with (author\$4 authenticat\$3 security access) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 11:55
				l .		1
L27	61	(first adj3 (person individual patient	US-PGPUB;	OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3	US-PGPUB; USPAT	OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3)		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3)		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3))and ((removable		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3))and ((removable portable)adj memory card		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3))and ((removable		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3))and ((removable portable)adj memory card smartcard idcard IC) same		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3))and ((removable portable)adj memory card smartcard idcard IC) same (fingerprint bio\$7 medical author\$7 authenticat\$3) and level with (author\$7 authenticat\$3 security		OR	ON	2006/02/08 12:38
L27	61	user client) same second adj3 (person individual patient user client) same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3)(compar\$5 correspond\$3 match\$3 map\$4 scan\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) same first same second same (enabl\$3 establish\$3) with(communicat\$3 link connect\$3))and ((removable portable)adj memory card smartcard idcard IC) same (fingerprint bio\$7 medical author\$7 authenticat\$3) and level with		OR	ON	2006/02/08 12:38

L28	157	server same first adj3 (node terminal computer pc machine workstation person individual user client) same second adj3 (node terminal computer pc machine workstation person individual patient user client) and (enabl\$3 provid\$3 establish\$3) with (communicat\$3 link connect\$3) and (compar\$5 correspond\$3 match\$3 map\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) and ((removable portable) adj memory card smartcard idcard IC) and level with (author\$7 authenticat\$3 security) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 12:52
L29	9	server same first adj3 (node terminal computer pc machine workstation person individual user client) same second adj3 (node terminal computer pc machine workstation person individual patient user client).ab. and (enabl\$3 provid\$3 establish\$3) with (communicat\$3 link connect\$3) and (compar\$5 correspond\$3 match\$3 map\$4) same (passcode passkey password 7\$key\$3 unique author\$4 authenticat\$3) and ((removable portable) adj memory card smartcard idcard IC) and level with (author\$7 authenticat\$3 security) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 12:53
L30	11	first adj3 (client terminal user node device) and second adj3 (client terminal user node device) and ((removable portable)adj memory card smartcard idcard) and (compar\$5 correspond\$3 match\$3 map\$4 scan\$4) with (passcode passkey password 7\$key\$3) same (enabl\$3 creat\$3 establish\$3 generat\$3 and level) with (communicat\$3 connect\$3 link channel seesion) and (author\$4 authenticat\$3 security access) and (fingerprint bio\$7 medical) and (@ad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 13:19

L36	2	server and reader and ((removable portable)adj memory card smartcard idcard) and first adj (client terminal user node device) same (passcode passkey password 7\$key\$3) same second adj (client terminal user node device) with (passcode passkey password 7\$key\$3) same (enabl\$3 creat\$3 establish\$3 generat\$3 and level) with (communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with (level access) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 13:28
L37	37	server and reader and ((removable portable)adj memory card smartcard idcard) and first same (passcode passkey password 7\$key\$3) same second same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) same (level access) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 13:30
L38	14	server with (plurality multiple different) adj3 (client user node temrinal device component elemt equipment network lan system) and reader and ((removable portable)adj memory card smartcard idcard) and first same (passcode passkey password 7\$key\$3) same second same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) same (level access) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR .	ON	2006/02/08 13:39
L39	357247	first adj3 (client user node terminal device component elemt equipment network lan system) and second adj3 (client user node terminal device component elemt equipment network lan system)	US-PGPUB; USPAT	OR	ON	2006/02/08 13:34
L40	12	38 and 39	US-PGPUB; USPAT	OR	ON	2006/02/08 13:34

	,					
L41	28	server with (plurality multiple different) adj3 (client user node terminal device component element equipment system) and reader and ((removable portable)adj memory card smartcard idcard) and first adj3 (client user node terminal device component element equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) same (level access) same (passcode passkey password 7\$key\$3) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 14:04
L42	1	server with (plurality multiple	US-PGPUB;	OR	ON	2006/02/08 14:06
		different) adj3 (client user node	USPAT			
		terminal device component element			* 1	
	3- 1-2	equipment system) and reader and				
		((removable portable)adj memory				
1 5	4 (A)	card smartcard idcard) and first		ranga sa	April 10	
		adj3 (client user node terminal device component element				
		equipment system)same second				
	A CASA CANADA	adj3 (client user node terminal	Tag a D alim		ئەنىڭ ئەستان ئا ئارىلى	
	· · · · · · · · · · · · · · · · · · ·	device component element				
:		equipment system)same (provid\$3		PART TREE	1	
		enabl\$3 creat\$3 establish\$3	o			
0 24		generat\$3) with (communicat\$3	0	1-8	. 0	
	*	connect\$3 link channel session) and		1		
		(author\$7 authenticat\$3 security)				
		with mutual\$2 same (passcode				
		passkey password 7\$key\$3) and		2.4		
		(@ad<"20001219" @rlad<"20001219")				

		T		····		
L43	5	server with (plurality multiple different) adj3 (client user node terminal device component element equipment system) and reader and ((removable portable)adj memory card smartcard idcard pcmcia) and first adj3 (client user node terminal device component element equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with mutual\$2 same (passcode passkey password key\$5) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 14:21
L44	. 7	server with (plurality multiple	US-PGPUB;	OR	ON	2006/02/08 14:22
	:	different) adj3 (client user node terminal device component element	USPAT	*		
		equipment system) and reader and	7.	*		7 1 400.00 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		first adj3 (client user node terminal		· · · · · · · · · · · · · · · · · · ·	[: .	
		device component element	L 4			
;			70			
		equipment system)same second			-	
gara contains		equipment system)same second adj3 (client user node terminal		nge granden t		
g green en een daar e		equipment system)same second adj3 (client user node terminal device component element		reger as transmis &	a	
g gerer sondane.		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3		The second of		
ggreen gradums		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3	The second secon	тор, гознасть А		
g gram i varidusma		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3		rige eventure s	a • . • · · · · · · · · · · · · · · · · ·	
garre ordans		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7		and the second of the second o	3	
Lynn vedan		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with		тор, възпасть А		
gymm oldskim,		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with mutual\$2 and ((removable		reger extensions f		
Later College		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with mutual\$2 and ((removable portable)adj memory card		rege a semana A		
agent obtaine		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with mutual\$2 and ((removable portable)adj memory card smartcard idcard pcmcia) with		rege, es areasen d		
gara sidakan		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with mutual\$2 and ((removable portable)adj memory card smartcard idcard pcmcia) with (passcode passkey password		rege extrement f		
		equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with mutual\$2 and ((removable portable)adj memory card smartcard idcard pcmcia) with		regio di senzania di	a	

						
L45	8	server with (plurality multiple different) adj3 (client user node terminal device component element equipment system) and first adj3 (client user node terminal device component element equipment system)same second adj3 (client user node terminal device component element equipment system)same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 security) with mutual\$2 and ((removable portable)adj memory card smartcard idcard pcmcia reader) with (passcode passkey password key\$5) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 14:26
L47	160	server with first adj3 (client user node terminal device component element equipment system) and server with second adj3 (client user node terminal device component element equipment system) and (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 validat\$3 verif\$4) with (passcode passkey password key\$5) and read\$4 with ((removable portable)adj memory card smartcard idcard pcmcia) and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 14:33

L48	17	server with first adj3 (client user node terminal device component element equipment system) with (passcode passkey password key\$5) and server with second adj3 (client user node terminal device component element equipment system) with (passcode passkey password key\$5) and (provid\$3 enabl\$3 creat\$3 establish\$3	US-PGPUB; USPAT	OR	ON	2006/02/08 14:42
		generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 validat\$3 verif\$4) with (passcode passkey password key\$5) and read\$4 with ((removable portable)adj memory card smartcard idcard pcmcia) and (@ad<"20001219" @rlad<"20001219")				
L49	9	first adj3 (client user node terminal device component element equipment system) same second adj3 (client user node terminal device component element equipment system) same (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) with (bidirection\$2 communicat\$3 connect\$3 link channel session) and 48 and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 14:41
L50	8	server with between with first with second and 48 and (@ad<"20001219" @rlad<"20001219")	US-PGPUB; USPAT	OR	ON	2006/02/08 14:41

L51	17	server with first adj3 (client user node terminal device component element equipment system) with (passcode passkey password key\$5) and server with second adj3 (client user node terminal device component element equipment system) with (passcode passkey password key\$5) and (provid\$3 enabl\$3 creat\$3 establish\$3 generat\$3) near5 (bidirection\$2 communicat\$3 connect\$3 link channel session) and (author\$7 authenticat\$3 validat\$3 verif\$4) with (passcode passkey password key\$5) and read\$4 with ((removable portable)adj memory card smartcard idcard pcmcia) and	US-PGPUB; USPAT	OR	ON	2006/02/08 14:42